

Ordering information

- Lithium-ion battery 7.4 V/4200 mAh (31.08 Wh) - hot-swappable Can be changed in potentially explosive atmosphere! Cover module - Cover module for battery compartment - hot-swappable Can be changed in potentially explosive atmosphere! MicroSD card (MLC) certified in combination with Agile X IS Storage capacity: 32 GB Can be changed in potentially explosive atmosphere! USB stick certified in combination with Agile X IS - Storage capacity: 36 GB - Intrinsically safe Can be changed in potentially explosive atmosphere! HART Add-on module for Agile X IS, Type 17-A1B4-11/222.1.00 To configure, parametrise, read and measure HART devices in potentially explosive atmosheres. The driver software makes it easy to install and set up. Connection to HART loop as secondary master. Hardware supports Version 5, 6 and 7 HART. May only be assemble/removed outside the potentially explosive atmosphere! Cover for expansion port suitable for Agile Tablet PC Series May only be changed outside the potentially explosive atmosphere! Screen protector certified in combination with Agile X IS - 1 piece	lustration	Description	Order no.
- Lithium-ion battery 7.4 V/4200 mAh (31.08 Wh) - hot-swappable Can be changed in potentially explosive atmosphere! Cover module - Cover module for battery compartment - hot-swappable Can be changed in potentially explosive atmosphere! MicroSD card (MLC) certified in combination with Agile X IS Storage capacity: 32 GB Can be changed in potentially explosive atmosphere! USB stick certified in combination with Agile X IS - Storage capacity: 36 GB - Intrinsically safe Can be changed in potentially explosive atmosphere! HART Add-on module for Agile X IS, Type 17-A1B4-11/222.1.00 To configure, parametrise, read and measure HART devices in potentially explosive atmosheres. The driver software makes it easy to install and set up. Connection to HART loop as secondary master. Hardware supports Version 5, 6 and 7 HART. May only be assemble/removed outside the potentially explosive atmosphere! Cover for expansion port suitable for Agile Tablet PC Series May only be changed outside the potentially explosive atmosphere! Screen protector certified in combination with Agile X IS - 1 piece		- ATEX: Zone 0/1 (DEMKO 16 ATEX 1803) - IECEx: Zone 0/1 (IECEx UL 16.0160)	
Cover module - Cover module for battery compartment - hot-swappable Can be changed in potentially explosive atmosphere! MicroSD card (MLC) certified in combination with Agile X IS Storage capacity: 32 GB Can be changed in potentially explosive atmosphere! USB stick certified in combination with Agile X IS - Storage capacity: 8 GB - Intrinsically safe Can be changed in potentially explosive atmosphere! HART Add-on module for Agile X IS, Type 17-A1B4-11/222.1.00 To configure, parametrise, read and measure HART devices in potentially explosive atmospheres. The driver software makes it easy to install and set up. Connection to HART loop as secondary master. Hardware supports Version 5, 6 and 7 HART. May only be assemble/removed outside the potentially explosive atmosphere! Cover for expansion port suitable for Agile Tablet PC Series May only be changed outside the potentially explosive atmosphere! Screen protector certified in combination with Agile X IS - 1 piece 17-A1Z6 17-A1Z6		- Lithium-ion battery 7.4 V/4200 mAh (31.08 Wh)	17-A1Z0-000
- Cover module for battery compartment - hot-swappable Can be changed in potentially explosive atmosphere! MicroSD card (MLC) certified in combination with Agile X IS Storage capacity: 32 GB Can be changed in potentially explosive atmosphere! USB stick certified in combination with Agile X IS - Storage capacity: 8 GB - Intrinsically safe Can be changed in potentially explosive atmosphere! HART Add-on module for Agile X IS, Type 17-A1B4-11/222.1.00 To configure, parametrise, read and measure HART devices in potentially explosive atmosheres. The driver software makes it easy to install and set up. Connection to HART loop as secondary master. Hardware supports Version 5, 6 and 7 HART. May only be assemble/removed outside the potentially explosive atmosphere! Cover for expansion port suitable for Agile Tablet PC Series May only be changed outside the potentially explosive atmosphere! Screen protector certified in combination with Agile X IS 17-A120 - 1 piece		Can be changed in potentially explosive atmosphere!	
MicroSD card (MLC) certified in combination with Agile X IS Storage capacity: 32 GB Can be changed in potentially explosive atmosphere! USB stick certified in combination with Agile X IS - Storage capacity: 8 GB - Intrinsically safe Can be changed in potentially explosive atmosphere! HART Add-on module for Agile X IS, Type 17-A184-11/222.1.00 To configure, parametrise, read and measure HART devices in potentially explosive atmosheres. The driver software makes it easy to install and set up. Connection to HART loop as secondary master. Hardware supports Version 5, 6 and 7 HART. May only be assemble/removed outside the potentially explosive atmosphere! Cover for expansion port suitable for Agile Tablet PC Series May only be changed outside the potentially explosive atmosphere! Screen protector certified in combination with Agile X IS - 1 piece 17-A120		- Cover module for battery compartment	03-9849-0150
Storage capacity: 32 GB Can be changed in potentially explosive atmosphere! USB stick certified in combination with Agile X IS - Storage capacity: 8 GB - Intrinsically safe Can be changed in potentially explosive atmosphere! HART Add-on module for Agile X IS, Type 17-A1B4-11/222.1.00 To configure, parametrise, read and measure HART devices in potentially explosive atmosheres. The driver software makes it easy to install and set up. Connection to HART loop as secondary master. Hardware supports Version 5, 6 and 7 HART. May only be assemble/removed outside the potentially explosive atmosphere! Cover for expansion port suitable for Agile Tablet PC Series May only be changed outside the potentially explosive atmosphere! Screen protector certified in combination with Agile X IS - 1 piece		Can be changed in potentially explosive atmosphere!	
USB stick certified in combination with Agile X IS - Storage capacity: 8 GB - Intrinsically safe Can be changed in potentially explosive atmosphere! HART Add-on module for Agile X IS, Type 17-A1B4-11/222.1.00 To configure, parametrise, read and measure HART devices in potentially explosive atmosheres. The driver software makes it easy to install and set up. Connection to HART loop as secondary master. Hardware supports Version 5, 6 and 7 HART. May only be assemble/removed outside the potentially explosive atmosphere! Cover for expansion port suitable for Agile Tablet PC Series May only be changed outside the potentially explosive atmosphere! Screen protector certified in combination with Agile X IS - 1 piece			17-A1Z0-0010
- Storage capacity: 8 GB - Intrinsically safe Can be changed in potentially explosive atmosphere! HART Add-on module for Agile X IS, Type 17-A1B4-11/222.1.00 To configure, parametrise, read and measure HART devices in potentially explosive atmosheres. The driver software makes it easy to install and set up. Connection to HART loop as secondary master. Hardware supports Version 5, 6 and 7 HART. May only be assemble/removed outside the potentially explosive atmosphere! Cover for expansion port suitable for Agile Tablet PC Series May only be changed outside the potentially explosive atmosphere! Screen protector certified in combination with Agile X IS - 1 piece 17-A120	BGIS BARTEC TYPE 11-ATZO-000B ONLY FOR LUIS WITH EX APPROVED BUYCES	Can be changed in potentially explosive atmosphere!	
HART Add-on module for Agile X IS, Type 17-A1B4-11/222.1.00 To configure, parametrise, read and measure HART devices in potentially explosive atmosheres. The driver software makes it easy to install and set up. Connection to HART loop as secondary master. Hardware supports Version 5, 6 and 7 HART. May only be assemble/removed outside the potentially explosive atmosphere! Cover for expansion port suitable for Agile Tablet PC Series May only be changed outside the potentially explosive atmosphere! Screen protector certified in combination with Agile X IS 17-A120		- Storage capacity: 8 GB	17-A1Z0-0007
To configure, parametrise, read and measure HART devices in potentially explosive atmosheres. The driver software makes it easy to install and set up. Connection to HART loop as secondary master. Hardware supports Version 5, 6 and 7 HART. May only be assemble/removed outside the potentially explosive atmosphere! Cover for expansion port suitable for Agile Tablet PC Series May only be changed outside the potentially explosive atmosphere! Screen protector certified in combination with Agile X IS 17-A120		Can be changed in potentially explosive atmosphere!	
Cover for expansion port suitable for Agile Tablet PC Series May only be changed outside the potentially explosive atmosphere! Screen protector certified in combination with Agile X IS 17-A120		To configure, parametrise, read and measure HART devices in potentially explosive atmosheres. The driver software makes it easy to install and set up. Connection to HART loop as secondary master. Hardware supports Version 5, 6 and 7 HART.	17-A1Z0-0005
suitable for Agile Tablet PC Series May only be changed outside the potentially explosive atmosphere! Screen protector certified in combination with Agile X IS 17-A120 17-A120			03-9827-0011
Screen protector certified in combination with Agile X IS - 1 piece			03-3027-0011
- 1 piece		May only be changed outside the potentially explosive atmosphere!	
May only be changed outside the potentially explosive atmosphere!		· · · · · · · · · · · · · · · · · · ·	17-A1Z0-0011
		May only be changed outside the potentially explosive atmosphere!	
Dual stylus suitable for capacitive touchscreen - 1 piece O3-9845	200		03-9849-0151





03-9829-0101

03-9829-0089

03-9829-0092

Ordering information

Accessories for use in potentially explosive atmospheres

Description Order no. Illustration

Carry system suitable with Agile X IS

- Simplified handling
- Ergonomic back trace with shoulder pad for safe carrying in front of the body
- Access to battery and integration of Add-on modules possible
- with holder for stylus
- adjustable strap length

Scope of delivery

- Leather carry case
- 4-point belt
- Shoulder strap



Leather carry case suitable with Agile X IS

- with practical stand function and holder for stylus
- Access to battery and integration of Add-on modules possible
- upgradable with shoulder strap and 4-point belt
- robust industry quality leather



4-point belt suitable for leather case for the Agile Tablet PC Series

- Ergonomic back trace with shoulder pad for safe carrying in front of the body
- Easy and secure fitting on leather carry case using coloured pop fasteners
- adjustable strap length



Battery bag suitable for external battery of the Agile X IS

- easy mounting on 4-point belt or belt





Shoulder strap suitable for leather carry case of tablet PC Agile series

- ergonomic and soft shoulder pad
- adjustable strap length
- mounting screw

03-9829-0091



Glacier Computer 603.882.1560 Ext. 6 ACIER sales@glaciercomputer.com www.glaciercomputer.com



03-9914-0021

03-9914-0022

03-9911-0040

Ordering information

Accessories for use outside potentially explosive atmospheres

Illustration Description Order no.




2-slot battery charging station suitable with Agile X IS

- for charging 2 batteries

- Input voltage: DC 10 V to 20 V (50 W)
- Charge indicator by LED and buzzer
- two plugged charging stations can be supplied with one power supply

Scope of delivery

- 2-slot battery charging station
- Power supply
- AC power cable (EU + US)



- Input voltage: DC 19 V
- Charging with inserted battery
- Interfaces:
- 4 x USB 2.0
- 1 x RS232
- 1 x Ethernet 10/100 Mbit/s
- 1 x HDMI
- 1 x Charging port

Scope of delivery

- Docking Station
- Mounting bracket
- Screws for mounting bracket (6 pieces)
- Fixation elements (2 pieces)
- Inserts for Agile X (2 pieces)
- Screws for insert (2 pieces)
- Rubber pads (4 pieces)
- Power supply
- Power cable (EU + US)
- Quick start guide (EN)

Power supply suitable for Agile Tablet PC Series

Input voltage: AC 100 V to 240 V Output voltage: DC 19 V/3.42 A

AC power cable, 3-wire, country-specific

suitable for charging power supply

- Connector: IEC-60320-C5

Version: EU 03-9609-0022 Version: US 03-9609-0023 03-9609-0024 Version: UK

Please purchase the required country-specific cables in the respective country!







00-1250

Ordering information

Service Description Order no.

Service level COMFORT

- Defined turnaround time
- Product receipt/dispatch confirmation
- Fast proposal management
- Inspection fee included

Further details can be found in the contract documents.

3-year contract 00-1179

one-off payment 10 % of Agile X IS list price for the duration

Contract extension "Comfort" of 1 year, to a maximum of 4 years one-off payment 10 % of Agile X IS list price for the duration

Service level ALL-IN from the start

Features:

- Defined turnaround time
- Product receipt/dispatch confirmation
- Projectable cost of ownership: repair cost included
- Coverage of normal wear and tear and accidental damage
- Repair working time and inspection fee included

Further details can be found in the contract documents.

3-year contract 00-1181

one-off payment 18 % of Agile X IS list price for the duration

Ordering information

Warranty		
	Description	Order no.
	Warranty extension (1-year contract) 5 % of Agile X IS list price for the duration	00-1183
	Further details can be found in the contract documents.	

