# Getac



# V110 ACCESSORY SPEC BROCHURE



Getac USA
15495 Sand Canyon Ave. Suite 350 Irvine, CA 92618 Tel: 949-681-2900
GetacSales\_US@getac.com | www.getac.com/us/

# **CARRY BAG**

## **Features & Benefits**

Constructed of durable Nylon / air mesh fabric, and featuring an adjustable padded shoulder strap, this compact carry bag provides sturdy protection for your F110 tablet while giving maximum comfort. The functional pockets inside offer the optimal solution to transport the tablet and needed accessories together in one case, delivering extra convenience and go-anywhere productivity to mobile professionals.

### **Product Information**

Dimensions : L 340 x W 260 x D 65 mm

Weight: 760g

Main Material : Nylon, air mesh fabric

#### SKU ID

GMBCX2





# EXTERNAL DUAL BAY MAIN BATTERY CHARGER

## **Features & Benefits**

This external dual-bay main battery charger is designed to charge up to 2 batteries at the same time. It provides you the benefit of charging and storing the 2 main batteries together when there is limited space or power sockets.

#### **Product Information**

AC Input: 100V~240V

DC Output: 13.05V, 2.4A Max. Number of charge bays: 2 bays

Dimension: L 160 x W 180 x H 72.5mm

Weight: 1.2kg

### **SKU ID**

GCMCA6 (AU Power Cord) GCMCC6 (CHN Power Cord) GCMCE6 (EU Power Cord) GCMCI6 (IN Power Cord) GCMCK6 (UK Power Cord) GCMCT6 (TW Power Cord) GCMCU6 (US Power Cord)



# **Multi-bay Battery Charger Eight Bay**

## **Features & Benefits**

The 8-bay multi-battery charger is designed to charge multiple battery packs simultaneously and provides users with an efficient charging solution.

#### **Product Information**

AC Input: 100V~240V AC, 4.2A 50~60Hz

DC Output: 19.5V, 16.9A \* w/ 330W AC Adapter Number of charge bays: 8 bays

Number of charge bays : 8 bays

Dimension : L 465 x W 245 x H 95.3 $\sim$ 111.3mm Weight : 4.7 kg ,not including battery packs

### **SKU ID**

GCECEC (EU Power Cord)
GCECUC (US Power Cord)
GCECKC (UK Power Cord)
GCECAC (AU Power Cord)
GCECCC (CHN Power Cord)
GCECIC (IN Power Cord)



# **V110-BATTERY 3-CELL (2100 MAH)**



## **Features & Benefits**

For mobile workers who need always-on performance, spare batteries may still be needed for extended use in the field. This battery pack is only compatible with the V110 and is hot-swappable for easy installation and replacement. On the exterior side of the battery pack is a battery charging indicator. You can press the push-button to see the number of LEDs that light up. Each LED represents 20% power charged.

#### **Product Information**

Battery Type : Li-ion Voltage : 11.1V

Capacity : typical 2100mAh ; min. 2040mAh Dimensions : L  $130.42 \times W$   $70 \times H$  10.06 mm

Weight: 150 g

#### **SKU ID**

GBM3X1



# **100W TYPE-C AC ADAPTER**

## **Features & Benefits**

The 100W Type-C AC adapter as an additional charging solution to charge Getac rugged tablets and laptops with inherent USB type-C ports as well as the power delivery functionality. The Type-C adapter features a reversible connector type that reduces connector damages due to misuse.

#### **Product Information**

Input: 100V-240V Output: 20V, 5A, 100W

Dimensions: L 140 x W 65 x H 25mm

Weight: 326g

Input cable length: 1830mm Output cable length: 1500mm

### **SKU ID**

GAT1E1 (EU Power Cord) GAT1U1 (US Power Cord) GAT1K1 (UK Power Cord) GAT1A1 (AU Power Cord) GAT1C1 (CHN Power Cord) GAT1T1 (TW Power Cord) GAT1I1 (IN Power Cord)



# 120W DC-DC VEHICLE ADAPTER

## **Features & Benefits**

The 120W vehicle adapter comes with a choice of two types of connections: a bare wire with individual wire ends already stripped, and a cigarette lighter plug for easy connection to the cigarette lighter socket in the vehicle interior, providing a convenient way to charge and power your tablet while you are on the road.

#### **Product Information**

Input Voltage: 11VDC~ 32VDC Output Voltage: 19VDC Output current: 6.32A Max.

Case Dimensions: L 131.5 x W 65.6 x H 30mm

Weight: 362g

Input cable length : 1900mm Output cable length : 1000mm

### **SKU ID**

GAD2X4 (Cigarette Lighter Plug Version) GAD2X8 (Bare Wire Version)





# 65W AC ADAPTER WITH POWER CORD

## **Features & Benefits**

This adapter is designed to power the device and charge its internal battery from an AC power source. A country-specific power cord is included with the adapter to fit the local power outlet in your designated country.

#### **Product Information**

Input: 100V-240V, 50~60Hz, 1.5A

Output: 19V, 3.42A, 65W

Dimensions : L 108.3 x W 46.3 x H 30mm

Weight: 250g

Input cable length: 1830mm Output cable length: 1500mm

### **SKU ID**

GAA6E5 (EU Power Cord) GAA6U5 (US Power Cord) GAA6K5 (UK Power Cord) GAA6A5 (AU Power Cord) GAA6C5 (CHN Power Cord) GAA6T5 (TW Power Cord) GAA6G5 (ARG Power Cord) GAA6I5 (IN Power Cord) GAA6J5 (JP Power Cord) GAA6R5 (KR Power Cord)



## 90W MIL-STD-461 AC ADAPTER



## **Features & Benefits**

This MIL-STD-461G AC adapter has passed the military standard and testing specification to ensure the conducted emissions (CE), conducted susceptibility (CS), radiated emissions (RE), and radiated susceptibility (RS) of the adapter can meet the requirements for the control of electromagnetic interference.

#### **Product Information**

Input : 115V-230V, 1.6A 50~60Hz

Output: 19V, 4.74A, 90W

Dimensions: L 170 x W 75 x H 45mm Weight: 880g (without power cord) Input cable length: 1530mm Output cable length: 1800mm

### **SKU ID**

GAAGE5 (EU Power Cord) GAAGU5 (US Power Cord) GAAGK5 (UK Power Cord) GAAGC5 (CHN Power Cord) GAAGA5 (AU Power Cord) GAAGI5 (IN Power Cord) GAAGT5 (TW Power Cord)



# **OFFICE DOCK WITH AC ADAPTER**

## **Features & Benefits**

The Getac office dock brings out multiple I/O ports for connecting essential peripheral devices in the office environment. Through the integrated ethernet, RS232, or USB connections, users can quickly collect and synchronize field data with central offices for real-time reporting and analytics.

#### **Product Information**

Dimension: L 301.67 x W 153.82 x H 40.42mm

Weight: 825g

Docking Connector: POGO \* w / 90W AC Adapter

I/O Ports:
DC in Jack x 1
Audio Output x 1
Microphone x1
USB 2.0 x 3
USB 3.0 x1
LAN x 1
HDMI x 1
VGA x 1
Serial Port x 2
Kensington Lock x 1

### **SKU ID**

GDOFER (EU Power Cord) GDOFUR (US Power Cord) GDOFKR (UK Power Cord) GDOFAR (AU Power Cord) GDOFCR (CHN Power Cord) GDOFTR (TW Power Cord) GDOFGR (AG Power Cord)



# **CAPACITIVE HARD TIP STYLUS & TETHER**

## **Features & Benefits**

This capacitive stylus is lightweight and easy to control, allowing smooth and comfortable interaction with the touch screen without worrying about scratching the screen or leaving fingerprints on it. The stylus comes with a tether to keep it attached to the tablet, so it doesn't get lost or misplaced.

### **Product Information**

Stylus Dimensions: 129.2mm; Ø7.7mm

Tip size: 3.8mm; Ø3.5mm Tether Length: 304mm

#### **SKU ID**

GMPSX9



# **DIGITIZER PEN WITH TETHER**

## **Features & Benefits**

The digitizer pen provides a more accurate and easy way for data entry and handwritten signature. A shortcut button allows the right mouse button functionality when using the pen.

### **Product Information**

Stylus Dimensions: 133.9mm; Ø7.65mm

Tether Length: 304mm

#### SKU ID

GMPDX4



# **GETAC DS100 USB-C DOCKING STATION**



## **Features & Benefits**

The Getac DS100 USB-C Docking Station, featuring a slim and compact design, seamlessly consolidates cables on the workstation. This allows users to swiftly create a personalized workspace and organize their daily office environment. Compatible with various Getac laptop and tablet models, it provides extra connectivity and multiple I/O ports for additional peripherals and data sources. With support for MAC Address Pass-Through, Wake-on-LAN (WoL), and PXE Boot, the DS100 aids IT administrators in maintaining a secure, efficient, and well-managed network infrastructure. (The docking station's performance, including transfer speeds and display capabilities, may be limited by chipset and operating system when used with Getac Android systems. See the user manual for details.)

#### **Product Information**

Dimensions: L 207 x W 90 x H 31mm (8.15" x 3.54" x 1.22")

Weight: 335g (0.74lbs)

Power Cable Length: 1.8m (5.9ft)

USB-C Upstream Cable Length: 1m (3.28ft)

I/O Ports: DC in Jack x 1, Audio in/out combo x 1, USB 2.0 x 2, USB 3.2 Gen 1 Type-A x 3, USB 3.2 Gen 2 Type-C x 2, LAN x 1, HDMI 2.0 x 1,

Display port x 2

#### **SKU ID**

GDDSE1 (EU Power Cord)

GDDSU1 (US Power Cord)

GDDSK1 (UK Power Cord)

GDDSA1 (AU Power Cord)

GDDSC1 (CHN Power Cord)

GDDST1 (TW Power Cord)

GDDSI1 (IN Power Cord)





# PROTECTION FILM AG

## **Features & Benefits**

This screen protection film is cut precisely to fit the V110 and is easy to install and remove without leaving a sticky residue. With anti-glare coating, it not only protects the screen from the rigors of daily use but also helps to diffuse light on the screen and reduces glare, providing effortless readability for displayed information under common ambient lighting conditions.

### **Product Information**

Dimensions : L 282.4 x W 175 x D 0.13mm

Main Material : PET

### **SKU ID**

GMPFX4



# **HANDLE**

## **Features & Benefits**

The handle is included in the standard package of V110, giving extra mobility to field workers to grab-and-go when the situation occurs. Users could easily install or remove it from the strap holder attached to the V110 corner bumpers. The handle also provides a slot for placing a stylus or digitizer pen.

### **Product Information**

Dimension: 163 x 20mm

Weight: 50g

Main Material : PC, ABS, TPU

### **SKU ID**

GMHDX1





# HARD HANDLE

## **Features & Benefits**

The multi-functional hard handle offers extra mobility to field workers to grab-and-go when situation required. The hard handle comes with a slot for storing a stylus or digitizer pen and also acts as a support stand to provide a better viewing angle when converting to tablet mode. This hard handle is also available as a factory installed option, where Getac professionals could ensure the installation meets the Getac standard.

### **Product Information**

Dimension: 312 x 20mm

Weight: 155g

Main Material : PC, TPR

### **SKU ID**

GMHDX2



# **SHOULDER STRAP 2-POINT**

## **Features & Benefits**

This shoulder strap attaches to two D-rings on the "F110 Bracket with Rotating Hand Strap & Kickstand" (sold separately) and is adjustable to fit most body sizes for both cross-body and shoulder carry. With its durable, sturdy design, the strap not only provides a comfortable, grip-free carrying option of the tablet but also helps in avoiding accidental drops while on the move.

#### **Product Information**

Dimensions : 1530 x 38 mm Main Material : Polyester

\* The F110 Bracket with Rotating Hand Strap and Kickstand-sold separately, is required for use with the Shoulder Strap.

### **SKU ID**

GMS2X4



# **SPARE SSD KIT**



## **Features & Benefits**

Spare SSD Kit is designed to provide you the ease of installation and allow you to remove your confidential data when your device is sent for service.

#### **Product Information**

Dimension: 104.6 x 53.1 x 9.3 mm

Weight: 49.7g

#### SKU ID

GSSEX7 (256GB PCle SSD) GSSFX8 (512GB PCle SSD) GSSGX9 (1TB PCle SSD) GSSHX8 (2TB PCle SSD)



# **GETAC RUGGED KEYBOARD**

## **Features & Benefits**

The Getac Rugged Keyboard is designed with VESA and AMPS mounting capability that allow it to be placed firmly in the vehicle. It has gone through vigorous test that comply with MIL-STD 810G and IP65. It also features with 88 full sized keys, red LED backlight with five levels of brightness and impressive key response that will truly enhance user experience.

#### **Product Information**

Dimension: 307.7 x 194 x 32 mm

Weight: 870g

Compatibility: Windows 10 Pro, Windows 11 Pro Backlit: Red LED. five levels of brightness Coiled Cable Length: USB 2.0 interface, 1.83m

### **SKU ID**

Getac Rugged Keyboard	Getac Rugged Keyboard with Smart card and USB 2.0	Getac Rugged Keyboard with Smart card and LF/HF RFID
GDKBU9 (US) GDKBC9 (UK) GDKBB9 (DE) GDKBD9 (FR)	GDKBU6 (US) GDKBC6 (UK) GDKBB6 (DE) GDKBD6 (FR)	GDKBU7 (US) GDKBC7 (UK) GDKBB7 (DE) GDKBD7 (FR)



# **X-STRAP**



## **Features & Benefits**

This X-Strap is attached to the four bottom corners on the V110 and is adjustable to fit the users' hands for a firm grip. With its durable, sturdy design, the strap provides a comfortable carrying option for V110 Tablet mode and helps to avoid accidental drops while on the move.

#### **Product Information**

Dimensions: 160 x 135 mm

Main Material: Nylon, Synthetic leather

#### **SKU ID**

GMHSX2

