

Features

- 15" 4:3 Ratio Touchscreen
- Intel Celeron Quad Core Processor
- IP66 / IP69K / NEMA 4X Stainless Steel Enclosure
- M12 Metal Input Output Connectors
- Fully Sealed with Fanless Design

Technical Specifications

Primary Components

Processor Family Intel Celeron Bay Trail
Processor Model J1900 Quad Core

Processor Speed 2.0 GHz

Memory Type 2x DDR3L SO-DIMM Memory Support 2GB, 4GB, 8GB

Storage type 1x 2.5" SATA Drive Bay for

SSD/HDD

Storage support 32GB-1TB

video card support

Internal Mini PCIe

Expansion Slots

Intel HD Graphics

2x Mini-PCIe

Display

Screen Size 15"

Resolution 1024 x 768 (XGA)

Screen Ratio 4:3
Brightness 400 nits
Contrast Ratio 600:1

Viewing Angle 160° (H), 160° (V)

Multimedia

Touch Screen

Touch Screen 5 Wire Resistive

Light Transmission 80±5%

Hardness Resistive: 4H, P-cap: 7H

Glass Thickness 2.4mm

Thermal and Environmental

Operating Array

Temperature $(32^{\circ}F - 104^{\circ}F)$

Storage Temperature Array

 $(-4^{\circ}F - 140^{\circ}F)$

Humidity Range 10% – 90% Non-condensing Storage Humidity 10% – 90% Non-condensing

Cooling Solution Passive – Fanless



External I/O ports

USB 2x M12 8Pin for USB 1/2 and

USB 3/4

Serial Protocol Detail RS-232

Ethernet / LAN 1x RJ45 GbE LAN

Power Input Port M12 type 5-PIN DC-in

Enclosure

Material SUS304 Stainless Steel

Ip Rating IP66, Optional IP67, IP69K,

NEMA 4X

Color Stainless Steel

Control Buttons Power Button, Power Reset

Mounting Options Table Mount, VESA 100 Mount,

Wall Mount

Approved Cleaning

Solutions

Acetic Acid (low concentration),

Ammonium Nitrate (low concentration), Benzine, Citric Acid (low concentration), Ethanol, Ethylene Glycol

Solution (1:1 with water),
Hexane, Hydrochloric Acid (low concentration), Iron Chloride
Solution, Isooctane, Isopropyl
Alcohol, Nitric Acid (low concentration), Paraffin,
Perhydrol (30% in water),
Phosphoric Acid (low concentration), Propane,

Silicone Oil, Sodium Carbonate (low concentration), Sodium Chloride Solution, Sodium Nitrate (low concentration),

Sulfuric Acid (low

concentration), Triethylene

Optional Bluetooth kit and WLAN with External Antenna

Glycol

Cleaning Instructions View instructions here

Power

Peripherals & Wireless Connectivity

Input Voltage Range 7-32V DC Max Power 32W

consumption

Battery

Standard Power AC 100~240V / 47 ~ 63Hz,

Adapter IP68, 60W

WiFi

Dimensions / Weight

Weight 7.6 KG (16.8 lbs)

Dimensions 395 x 58 x 309.5 mm (15.6 x 2.3

x 12.2 in)

Operating Systems

Certification

Windows Windows 10 IoT, Windows 10

Pro, Windows 7 Pro

Certifications

CE, FCC Class A, VCCI

Compatibility

Warranty

Security Hardware

Optional TPM 2.0


Warranty

Up to 5 Years

Inputs / Outputs



Technical Drawings



All specifications are subject to change without notice.

