


# MC9400 and MC9450 Accessories Guide

Powering a new generation of data collection

Revised September 2025





## Contents



I.		Accessories that POWER devices	
	1	Cradles	
	1.1	Single-slot and multi-slot chargers	3
	1.2	Cradle cups	4
	2	Batteries and additional charging accessories	
	2.1	Spare battery chargers	4
	2.2	Spare Li-ion batteries	5
	2.3	Spare Li-ion batteries with BLE Beacon	$\epsilon$
	2.4	Additional charging accessories	7
	3	Power supply, cables, and adapters	
	3.1	Power supply and cable matrix	8
	3.2	Country-specific AC line cords	9
II.		Accessories that ENABLE productivity solutions	
	3	Field replaceable spare keypads	11
	4	Headsets, mounting and other accessories	12
	5	<u>Styluses</u>	13
III.		Accessories that PROTECT devices	
	6	Soft holsters, rugged boots, and other accessories	14
	7	Screen Protector	15
	8	Hand straps and stylus tethers	16
V.		Third Party Accessories for MC9400 / MC9450	
	9	3rd Party Vehicle Cradles	17





### Single-slot and multi-slot cradles





#### Single-slot charge / USB cradle SKU# CRD-MC93-2SUCHG-01

Single-slot USB cradle. Charges a single device and any MC9400 / MC9450 spare battery.

- Allows USB communication to the device with an additional USB-C cable.
- Supports fast-charging from 0-90% in about 3.5 hours.
- LED notification of spare battery charging status.
- Compatible with Level V and Level VI power supplies
- Sold separately: Power Supply SKU# PWR-BGA12V50W0WW, DC cable SKU# CBL-DC-388A1-01, USB-C cable SKU# CBL-TC5X-USBC2A-01, and country-specific three-wire AC cable (<u>listed later in this document</u>).



## Four-Slot charger cradle SKU# CRD-MC93-4SCHG-01

Four-slot charge only cradle, charges up to four devices.

- Supports fast-charging from 0-90% in about 3.5 hours.
- Mounting options for standard 19-inch rack systems using mounting accessory SKU# BRKT-SCRD-SMRK-01.
- Sold separately: Power Supply SKU# PWR-BGA12V108W0WW, DC cable SKU# CBL-DC-381A1-01, mounting accessory SKU# BRKT-SCRD-SMRK-01, and country-specific AC cable (<u>listed later in this document</u>).



## Four-Slot Ethernet charger cradle SKU# CRD-MC93-4SETH-01

Four-slot charge / Ethernet cradle. Charges four devices with network speeds of up to 1 Gb.

- Supports fast-charging from 0-90% in about 3.5 hours.
- Provides Ethernet daisy chaining support for connecting multiple cradles together.
- Mounting options for standard 19-inch rack systems using mounting accessory SKU# BRKT-SCRD-SMRK-01.
- Sold separately: Power Supply SKU# PWR-BGA12V108W0WW, DC cable SKU# CBL-DC-381A1-01, mounting accessory SKU# BRKT-SCRD-SMRK-01, and country-specific AC cable (<u>listed later in this document</u>).



#### Cradle cups



## Adapter charge-only cradle cup for legacy cradles SKU# ADP-MC93-CRDCUP-01

MC9300 / MC9400 adapter charge-only cradle cup for MC90 / MC91 / MC92 legacy cradles.

- Includes circuitry to convert between voltage differences from legacy to current devices.
- Charges standard rate from 0-90% in about 5.8 hours.
- One cup is required per slot in a cradle.



## Charge-only cradle cup replacement SKU# CUP-MC93-ADP-01

One replacement charge-only cradle cup to replace a damaged cradle cup.

### Spare battery chargers



#### Four-slot spare battery charger

SKU# SAC-MC93-4SCHG-01

Spare battery charger to charge any four spare batteries.

- Supports fast-charging from 0-90% in about 3.3 hours.
- Includes a USB-C port.
- Sold separately: : Power Supply SKU# PWR-BGA12V50W0WW, DC cable SKU# CBL-DC-388A1-01, and country-specific three-wire AC cable (<u>listed</u> <u>later in this document</u>).



#### 16-slot spare battery charger

SKU# SAC-MC93-16SCHG-01

Spare battery charger to charge any 16 spare batteries.

- Supports fast-charging from 0-90% in about 3.3 hours.
- Includes a USB-C port.
- Mounting options for standard 19-inch rack systems using mounting accessory SKU# BRKT-SCRD-SMRK-01.
- Sold separately: Power Supply SKU# PWR-BGA12V108W0WW, DC cable SKU# CBL-DC-381A1-01, mounting accessory SKU# BRKT-SCRD-SMRK-01, and country-specific AC cable (<u>listed later in this document</u>).



#### Spare Li-ion batteries



#### Standard Battery with PowerPrecision Plus

#### SKU# BTRY-MC93-STN-01

7,000 mAh standard battery with PowerPrecision Plus.

- Premium-grade battery cells with longer lifecycle and tested to meet rigorous controls and standards.
- Obtain advanced battery state of health information including charge level and battery age based on usage patterns.
- Designed to meet rigorous controls, standards and help prevent overcharging.
- Also available as a 10-pack 10 batteries— SKU# BTRY-MC93-STN-10.
- Also available in India PowerPrecision+ Lithium-Ion battery pack, 7000mAh, provides advanced State of Charge and State of Health –
- SKU# BTRY-MC93-STN-IN



#### Non-Incendive Battery with PowerPrecision Plus

#### SKU# BTRY-MC93-NI-01

7,000 mAh Non-Incendive battery with PowerPrecision Plus.

- Premium-grade battery cells with longer lifecycle and tested to meet rigorous controls and standards.
- Obtain advanced battery state of health information including charge level and battery age based on usage patterns.
- Designed to meet rigorous controls, standards and help prevent overcharging.
- Designed to be used with Non-Incendive devices.



#### Freezer Battery with PowerPrecision Plus

#### SKU# BTRY-MC93-FRZ-01

5,000 mAh freezer battery with PowerPrecision Plus.

- Premium-grade battery cells with longer lifecycle and tested to meet rigorous controls and standards.
- Obtain advanced battery state of health information including charge level and battery age based on usage patterns.
- Designed to meet rigorous controls, standards and help prevent overcharging.
- Provides more power at typical freezer temperature than the standard battery.



## Spare Li-ion batteries with BLE Beacon



## Bluetooth Battery with PowerPrecision Plus SKU# BTRY-MC94-BLE-01

7,000 mAh Bluetooth battery with PowerPrecision Plus.

- Premium-grade battery cells with longer lifecycle and tested to meet rigorous controls and standards.
- Obtain advanced battery state of health information including charge level and battery age based on usage patterns.
- Designed to meet rigorous controls, standards and help prevent overcharging.
- BLE beacon allows device with this battery to be located even if powered off using <u>Zebra Device Guardian</u>.
- Sold separately: Zebra Device Guardian licenses for either 1-year SKU# SW-BLE-DT-SP-1YR or 3-years SKU# SW-BLE-DT-SP-3YR. \*eligible for discount with purchase\*
- Also available as a 10-pack 10 batteries— SKU# BTRY-MC94-BLE-10.





### Additional Charging Accessories



#### Cable adapter

#### SKU# CBL-MC93-USBCHG-01

USB charge / communications cable adapter.

- Supports fast-charging from 0 90% in about 3.5 hours while using a country specific USB power supply SKU# PWR-WUA5V12W0XX (<u>listed later in this document</u>).
- USB cable provides both USB communications and charging support with a USB-C connector.
- Attaches to charge / communication port on bottom of device.
- Requires: USB-C cable SKU# CBL-TC5X-USBC2A-01



#### Cigarette lighter adapter plug

#### SKU# CHG-AUTO-USB1-01

USB cigarette lighter adapter plug.

- Used with USB communication / charging cable adapter
   SKU# CBL-MC93-USBC-01 to charge in-vehicle.
- Includes two USB Type A ports providing higher current (5V, 2.5A) for faster charging.
- Sold separately: : USB communication / charging cable adapter SKU# CBL-MC93-USBC-01, USB-C cable SKU# CBL-TC5X-USBC2A-01.





## Power supply, cables, and adaptors

## Power supply and cable matrix

SKU#	Description	Note
PWR-BGA12V108W0WW	Level VI AC/DC power supply brick. AC Input: 100–240V, 2.8A. DC Output: 12V, 9A, 108W.	<b>Sold separately:</b> DC line cord SKU# CBL-DC-382A1-01 and country-specific AC line cord.
PWR-BGA12V50W0WW	Level VI AC/DC power supply brick. AC Input: 100-240V, 2.4A. DC Output: 12V, 4.16A, 50W.	<b>Sold separately:</b> DC line cord SKU# CBL-DC-382A1-01 and country-specific AC line cord.
KIT-PWR-12V50W	Power supply kit for single-slot cradle including Power Supply SKU# PWR-BGA12V50W0WW and DC line cord SKU# CBL-DC-388A1-01.	<b>Sold separately:</b> Country-specific AC line cord.
KT-PWR-50W395A1-01	Power supply kit for four-slot battery charger including Power Supply SKU# PWR-BGA12V50W0WW and DC line cord SKU# CBL-DC-395A1-01.	
CBL-DC-381A1-01	DC line cord for running multi-slot cradles from a single Level VI power supply.	
CBL-DC-388A1-01	DC line cord for running single-slot cradles or battery chargers from a single Level VI power supply SKU# PWR-BGA12V108W0WW.	
CBL-TC5X-USBC2A-01	USB C to USB A communications and charging cable, 1m long.	<b>Sold separately:</b> Use with
CBL-TC2Y-USBC90A-01	USB C to USB A cable with 90° bend in USB-C adapter, 1.1m long.	cable adapter SKU# CBL- MC93-USBCHG-01 for USB
CBL-TC2X-USBC-01	USB-A to USB-C cable with an additional ferrite bead, 1.5m long.	communication. Use with USB power adapter SKU# PWR- WUA5V12W0US for charging with AC wall outlet. Use USB cigarette lighter adapter SKU# CHG-AUTO- USB1-01 for in-vehicle charging.
CBL-DC-382A1-01	DC line cord for running five-slot cradles when using Level VI Efficiency power supply SKU# PWR-BGA12V108W0WW. Includes black extension tab for releasing the cable.	
CBL-DC-523A1-01	DC Y-line cord for running two spare battery chargers to a single Level VI power supply SKU# PWR-BGA12V108W0WW.	
CBL-DC-395A1-01	DC power cord.	<b>Sold separately:</b> Use with power supply SKU# PWR-BGA12V50W0WW to power four-slot battery charger.
PWR-WUA5V12W0XX	USB type A power supply adaptor (wall wart). Replace 'XX' in SKU as follows to get the right plug style based on region:  US (United States) • GB (United Kingdom) • EU (European Union) AU (Australia) • CN (China) • IN (India) • KR (Korea) • BR (Brazil)	Level VI power supply wall adapter with input voltage ranging from 100-240 volts AC, output of 5V, and maximum current of 2.5A.



## Power supply, cables, and adaptors

### Country-specific AC line cords: grounded, 3-prong

SKU#	Country / region	Note
23844-00-00R	North America (United States, Canada, Mexico)	7.5 feet long Commonly used with chargers mounted in server racks
50-16000-217R	American Samoa, Australia, New Guinea	1.9 meters (6.2 feet) long
50-16000-218R	Japan	1.8 meters (6 feet) long
50-16000-219R	Antigua, Bermuda, Burma, Channel Islands, Hong Kong, Iraq, Ireland, Malaysia, North Ireland, Scotland, Singapore, United Kingdom, Wales	1.8 meters (6 feet) long
50-16000-220R	Europe, Abu Dhabi, Bolivia, Dubai, Egypt, Iran, Korea, Russia, Vietnam	1.8 meters (6 feet) long
50-16000-256R	Korea	1.8 meters (6 feet) long
50-16000-257R	China	1.8 meters (6 feet) long
50-16000-669R	India, S. Africa, Africa	1.9 meters (6 feet) long
50-16000-671R	Italy	1.8 meters (6 feet) long
50-16000-672R	Israel	1.9 meters (6.2 feet) long
50-16000-727R	Brazil	1.9 meters (6.2 feet) long






## Power supply, cables, and adaptors

### Country-specific AC line cords: ungrounded, 2-prong

SKU#	Country / region	Note
50-16000-182R	United States	Type A NEMA 1-15 plug
50-16000-255R	Europe, Abu Dhabi, Bolivia, Dubai, Egypt, Iran, Korea, Russia, Vietnam.	Type C CEE7/16 plug
50-16000-670R	Bermuda, England, Hong Kong, Iraq, Ireland, Malaysia, North Ireland, Scotland, Singapore, United Kingdom, Wales	
25-124330-01R	Cradle to USB cable Single slot cradle to PC/host USB cable.  • Used with single-slot cradle.  • Micro-USB connection on cradle end	







## Accessories that enable productivity solutions




## Field Replaceable Spare Keypads




53 Key Standard 1-pack: KYPD-MC9353ANR-01 10-pack: KYPD-MC9353ANR-10



**53 Key TE 5250** 1-pack: KYPD-MC93535250-01



58 Key Func AN 1-pack: KYPD-MC9358ANR-01 10-pack: KYPD-MC9358ANR-10



**43 Key Function** 1-pack: KYPD-MC9343FN-01



**34 Key Function** 1-pack: KYPD-MC9334FNR-01



29 Key Function 1-pack: KYPD-MC9329NMR-01

## Accessories that enable productivity solutions



### Headsets, mounting, and other accessories



## Rugged Bluetooth headset with over-the-head headband SKU# HS3100-OTH

HS3100 Rugged Bluetooth headset with over-the-head headband. Included HS3100 boom module and HSX100 OTH headband module

## Rugged Bluetooth headset with behind-the-neck headband (left). SKU# HS3100-BTN-L

HS3100 Rugged Bluetooth headset with behind-the-neck headband (left). Included HS3100 boom module and HSX100 BTN-L headband module.



#### Un-powered forklift holder

SKU# MNT-MC93-FLCH-01

Includes an un-powered forklift mount that allows installing the device on a roll bar or square surface of a forklift.

 Sold separately: RAM double socket arm for 1-inch ball SKU# MNT-RAM-B201U, RAM forklift clamp 2.5-inch max width square rail base with 1-inch ball SKU# MNT-RAM-B247U25.



#### RAM mount arm

SKU# MNT-RAM-B201U

RAM double socket arm for 1-inch ball.

- Used with un-powered forklift mount SKU# MNT-MC93-FLCH-01
- Uses RAM mount P/N SKU# RAM-B-201U



#### RAM mount base

SKU# MNT-RAM-B247U25

RAM forklift clamp 2.5-inch max width square rail base with 1 inch ball

- Used with un-powered forklift mount SKU# MNT-MC93-FLCH-01 and attaches to square shaped post of forklift.
- Uses RAM mount P/N SKU# RAM-B-201U



## Rack mounting for space optimization SKU# BRKT-SCRD-SMRK-01

Rack / wall mounting bracket, allows to install one 4-slot ShareCradle on a wall or a 19" server rack.

## Accessories that enable productivity solutions



#### Styluses



#### Fiber tipped stylus

#### SKU# SG-STYLUS-TCX-MTL-03

Set of three fiber tipped stylus.

- Heavy-duty and made from stainless steel / brass. No plastic parts — real pen feel. Can be used in rain.
- Micro-knit, hybrid-mesh, fiber tip provides silent, smooth gliding use. 5" length.
- Big improvement over rubber tipped or plastic tipped stylus.
- Compatible with all capacitive touch screen devices.
- Tether to device or hand strap using SKU# SG-TC5NGTC7NG-TETHR-03.

<sup>\*</sup> Please note this accessory is a consumable and may require replacement during the device's lifespan.



#### Capacitive stylus

#### SKU# SG-TC7X-STYLUS1-03

Set of three capacitive styluses optimized for enterprise durability.

- Made of conductive carbon-filled plastic material with 5mm tip. 3.5" length.
- Can be stored in loop of hand strap or holster.
- Sold separately: Hand strap SKU# SG-MC93-HDSTPG-01 and holster SKU# SG-MC9X-SHLSTG-01
- Also available as a 50-pack 50 styluses— SKU# SG-TC5X-STYLUS-50.

<sup>\*</sup> Please note this accessory is a consumable and may require replacement during the device's lifespan.



## Capacitive stylus with coiled tether SKU# SG-TC7X-STYLUS-03

Set of three capacitive styluses with coiled tether.

- Includes: Capacitive stylus SKU# SG-TC7X-STYLUS1-03 and coiled tether SKU# KT-TC7X-TETHR1-03.
- Also available as a 6-pack 6 styluses and 6 coiled tethers— SKU# SG-TC7X-STYLUS-06.

<sup>\*</sup> Please note this accessory is a consumable and may require replacement during the device's lifespan.





### Soft Holsters, rugged boots, and other accessories



#### Fabric Holster

#### SKU# SG-MC9X-SHLSTG-01

Fabric holster, secures to a belt or a shoulder strap. Allows to carry the gun device on the hip or cross-body.

- Compatible with devices with or without rubber boot SKU# SG-MC93-RBTG-01.
- Sold separately: Shoulder strap SKU# 58-40000-007R or belt SKU# 11-08062-02R.

<sup>\*</sup> Please note this accessory is a consumable and may require replacement during the device's lifespan.



## Protective rubber boot SKU# SG-MC93-RBTG-01

Protective boot for gun configurations, protects the device from wear and tear.

- Compatible with laser and imager gun units.
- Bottom portion must be removed before inserting into cradles.

<sup>\*</sup> Please note this accessory is a consumable and may require replacement during the device's lifespan.



#### Shoulder strap

#### SKU# 58-40000-007R

Universal shoulder strap for fabric holster.

- Extends from 22 to 55 inches and is 1.5 inches wide.
- \* Please note this accessory is a consumable and may require replacement during the device's lifespan.



#### Belt for holster

#### SKU# 11-08062-02R

Universal belt for fabric holster.

- Extends 48 inches and is 2 inches wide.
- \* Please note this accessory is a consumable and may require replacement during the device's lifespan.



#### Belt clip

#### SKU# KT-70147-01R

Allows MC9400 / MC9450 units to be hooked onto belt clip using unit's hand strap.

- Sold separately: Hand strap SKU# SG-MC93-HDSTPG-01.
- \* Please note this accessory is a consumable and may require replacement during the device's lifespan.



### Screen protector



#### Glass screen protector SKU# MISC-MC93-SCRN-01

Set of five tempered glass screen protectors.

\* Please note this accessory is a consumable and may require replacement during the device's lifespan.





#### Hand straps and stylus tethers



#### Hand strap

SKU# SG-MC93-HDSTPG-01

Spare hand strap for gun configurations and a loop provides storage to optional stylus SKU# TC7X-STYLUS1-03.

\* Please note this accessory is a consumable and may require replacement during the device's lifespan.




#### Stylus tether

SKU# SG-TC5NGTC7NG-TETHR-03

Stylus tether – pack of 3.

- Can be attached to device tower bar.
- When hand strap is used, tether should attach to hand strap SKU# SG-NGTC5TC7-HDSTP-03 directly (not to terminal towel bar).
- String type tether prevents loss of stylus.



### Stylus coiled tether replacement

SKU# KT-TC7X-TETHR1-03

Set of three coiled tether for stylus to replace previously lost or damaged tethers.

 Not recommended when using fiber tipped stylus SKU# SG-STYLUS-TCX-MTL-03

\* Please note this accessory is a consumable and may require replacement during the device's lifespan.



#### Stylus coiled tether replacement

SKU# SG-ET5X-SLTETR-01

Coiled tether for stylus to replace previously lost or damaged tethers.

 Not recommended when using fiber tipped stylus SKU# SG-STYLUS-TCX-MTL-03

\* Please note this accessory is a consumable and may require replacement during the device's lifespan.



<sup>\*</sup> Please note this accessory is a consumable and may require replacement during the device's lifespan.